



Metalon

Trace element solution

COMPOSITION	% (w/w)
Total Magnesium (MgO)	4
Total Boron (B)	0.3
Total Copper (Cu)	0.5
Total Iron (Fe)	1.5
Total Manganese (Mn)	1.5
Total Zinc (Zn)	0.5

CONTENT: 1 Lt

E.U. Origin



■ Metalon is a trace element solution with Magnesium recommended for all kinds of crops. Prevents/corrects trace element deficiencies. Suitable for foliar sprays as well as for root applications. The best results are obtained when applied to the early stages of plants.

■ Metalon has the following properties:

- Contains the 8 most important trace elements in balanced quantities for plant nutrition.
- These trace elements compounds are effectively absorbed from the leaves.
- Metalon is produced to combine with most agrochemicals in the spray water. Trace elements do not react with agrochemicals as occurring in other similar solutions.
- Mostly suggested to treat all kinds of chlorosis, which are not typical and are not easily distinguished, also to treat interacting deficiencies among these 8 elements. The beneficial results are quickly obtained and plant leaves take a deep green colour.
- Plants respond better when Metalon is used in a moderate cool/ warm weather.

■ **RATES:** 2-4 Lt/ ton for foliar sprays and 20-40 Lt / hectare for soil applications. Use the higher rates for heavier deficiencies. Use in the early stages of plant development.

■ **RECOMMENDED CROPS:** • **Fruit trees** (Peach-Pear-Apples-Citrus trees)-**Grapes:** Make one spray when the new growth appears in early spring. Repeat after 15-20 days and once after fruit setting. • **Corn-Small grains:** Make 2-3 sprays at 15 days intervals. Make the first spray when young plants have developed some foliage.

• **Cotton-soybean:** Spray at blooming period for preventing/correcting trace element deficiencies

• **All Vegetables:** Make 2-3 foliar or soil applications at 15-20 days intervals at the early stages of their development. • **Yam:** Use in the early stages of plant development to support nutrition at the first growth.

• **Flowers-Ornamentals:** Make one application (foliar spray or soil application) one month after sowing or transplanting when plants are still young. Repeat two times at 15-20 days intervals. Repeat whenever is necessary.

• **Cowpeas:** Apply (foliar spray or soil application) at setting of the first peas, to prevent/correct trace element deficiencies.

■ **COMPATIBILITY:**

Metalon is compatible with the most agrochemicals used for foliar sprays. Metalon acidifies the spray / irrigation water.

■ **PRECAUTIONS:** Keep out of reach of children. Keep away of foodstuffs

■ **STORAGE:** Stored in room temperature the product remains stable for more than 3 years. Keep in original package.

Produced and Packaged by:

VIORYL S.A.

Chemical and Agricultural Industry, Research S.A.
Athens, Greece

Tel.: +30 22950 45100

website: <http://www.vioryl.gr>